

FLEX-TAC-LIGHT

TACTICAL LIGHTING SERIES

- Integrated Wireless Thermal Camera
- > Powerful Remote Controlled LED Lighting
- > Long Range Infrared LED Illuminator

FLX-TACEVZILRCTRC

- Thermal and visible overlay imaging camera
- Completely wireless and battery powered system

SOUTH AND RICA

- Wireless networking reliable on over 1,000 feet
- Visual and laser target designator
- Compliant with all Flexlite video command stations



All rights reserved to FP technologies - www.flexlite.ca - 1-866-854-141

TACTICAL LIGHTING SERIES FLX-TAC6V2ILRCTRC

OUR MOST VERSATILE TACTICAL SYSTEM COMBINE A WIRELESS THERMAL CAMERA AND A REMOTE CONTROLLED LIGHTING

The powerful 5000 lumens lighting and IR Illuminator provided by each projector can quickly and safely floodlight the entire work area as soon as the response teams arrive. With its great autonomy, the system is self sustaining and does not require any other external power source, thus avoiding the presence of cumbersome wires on the ground inside the security perimeter. The purpose of this system is to reduce the time required to deploy lighting equipment and to make the work of the field staff easier as well as to enhance their security.

Each unit is easily operated via wireless remote control, making it possible to control it from a safe hidden location. Whether it is used for surveillance or tactical operations, this system has the capabilities to support a multitude of operations and to increase the mission performance by extending operational options.

Equipped with a thermal camera, each unit can provide real time video streams to the mobile command center. The camera feeds can be viewed simultaneously or individually allowing the operator of the command center to have a general overview of the thermal spot or to instantly zoom in on specific areas being monitored. There is no doubt that this will significantly improve response team coordination.

Images are transmitted through a wireless network made up of the projectors and the command center. The outstanding communication capabilities of the system ensures each camera works adequately at a distance of 1000 feet regardless of buildings or vehicles obstructions. Furthermore, distances can reach up the 2 kilometers (1.5 miles) using a Flexlite external long range antenna.

The images from each projector are recorded by the command post and can later be used as evidence or for training and improving response practices.

SPECIFICATIONS

LIGHTING

 Power
 5000 Lumens

 Projection angle
 3 x 25° + 3 x 45°

 Color temperature
 5 000°K

 Infrared power
 17 Watts

 Infrared projection angle
 2 x 25°

 Infrared wavelength
 940 nm

 Positioning laser
 Yes (1 mW @ 650 nm)

CAMERA

BATTERY LIFE AT 21°C

Economy mode 12 hours (only 2 LED)
Full mode 4.5 hours (all LED)
Infrared mode 11.5 hours (IR only)
Camera only 35 hours (without lighting)
Charging time 10 hours (5 amps charger)

WIRELESS NETWORK

 Protocole
 TCP/IP

 Bandwidth
 150 Mbps

 Security
 WEP / WPA

 Range
 Over 1000 feet

 Extention range antenna
 Up to 2 kilometers (optional)

REMOTE CONTROL

Bidirectional Yes, with status indicator
Battery 1 x 9 Volts

HOUSING

 Height
 4.25 inch (10.8 cm)

 Depth
 4.75 inch (12 cm)

 Width
 22 pouces (55.9 cm)

 Material
 Black anodized aluminum

 Weight
 15 lbs (6.8 Kg)

 Protection IP Code
 IP65

 Operating temperature
 -40°C à 50°C (-40°F à 122°F)

SUPPORT (TACTICAL INCLUDED)

Tripod material Black painted steel

Maximum extension 6 feet (182 cm)

Maximum legs spacing 42 inch (106 cm)

Fence hook Integrated

Stability claws Integrated

Compatible with Manfrotto tripod With adapter SA-FLXSPOT-MFRTADAP

ACCESSORIES

Adapter for 120VAC auxiliary source SA-FLXSPOT-110VADAP
Adapter for 12VDC auxiliary source SA-FLXSPOT-12VADAP
Tactical tripod set FLXSTAND8-TAC
Carrying Bag T-BAGFLX8.5X42X5.25
Manfrotto tripod adapter SA-FLXSPOT-MFRTADAP
Back transportation harness FLX-HTP
Extension range antenna FLX-ANTENNA-Y9
Multi-zone remote control FLX-REMOTE-MASTER

COMPATIBILITY

Compatible with all Flexlite video command posts

